

Clinical PrEP Essentials

Efficacy key messages:

- PrEP is highly effective for preventing HIV infection when taken daily;
- ► Full protection after 7 daily doses for rectal sex and after 20 daily doses for vaginal sex;
- ▶ PrEP does not prevent GC/CT/syphilis/genitalwarts/HSV/HCV.

Side Effects:

- 1 in 10 may have GI side effects (N/V/abdpain); usually resolves by 1 month,
- 1 in 200 may have renal dysfunction (typically reversible if d/c PrEP),
- 1% average loss of bone mineral density; reversible if d/c PrEP: no increased risk of fx.

Recommended Lab Screening & Visits:

- InitialLabs: HIV Ag/Ab (4th gen); HIV RNA (if possible); HBsAg (if non-immune); HCV Ab; ALT; Cr; 3 site GC/CT; RPR; Consider: Upreg, HAV, HBV, & HPV vaccines.
- Week 1: Call, check if prescription was filled, adherence, and insurance copay.
- Month 1: If no HIV RNA test at screening, check HIV Ag/Ab (4th gen), Adherence check.
- Q 3 Months: HIV Ag/Ab, Cr, GC/CT (3 sites), RPR; check adherence & PrEP indications.
- Documentation: ICD-10 Z20.6: HIV Exposure.



Clinical **PrEP** Essentials

Indications (by history in the past 6 months):

Asking for PrEP; OR any sex partner with untreated HIV or HIV risk factors; OR injection drug use and sharing needles; OR used PEP > 1x in the past year; OR a man or trans woman reporting an STI or condomless anal sex with men.

Caution:

- HBV infection and ALT >2 X ULN (continue HBV treatment if PrEP is stopped),
- At risk for kidney disease, i.e. DM or uncontrolled HTN (consider monthly Cr),
- **3.** Acute viral syndrome (send HIV RNA, consider FTC/TDF/INSTI or delay PrEP),
- Osteoporosis or h/o non-traumatic fracture (consider Vit D, DXA, referral),
- 5. Pregnancy or breastfeeding (discuss risks/benelts).

Contraindications:

1. eGFR < 60, 2. HIV+, 3. HIV exposure < 72hrs (PEP, then consider PrEP)

Rx: Emtricitabine/tenofovir 200mg/300mg (Truvada) dispense 30 tabs plus 2 refills.

Counseling: Link dosing to a daily habit; develop plans for STI prevention and contraception or safer conception; notify if PrEP is stopped more than 7 days.

NEED HELP? U.S. PrEPline 855-448-7737

www.paetc.org | (415) 476-6153 | paetc@ucsf.edu